扫码进入企业官网

NBALX

宁波奥力迅电梯部件有限公司
NINGBO AOLIXUN ELEVATOR COMPONENTS CO., LTD

宁波工厂
地址：浙江省宁波市余姚市云山中路28号
Address: No. 28 Yunshan Middle Road, Yuyao City, Ningbo, Zhejiang

电话(Tel): 86-572-3305100
传真(Fax): 86-572-3305100
邮箱(E-mail): info@nbalx.cn
网站(Web): Http://www.nb-alx.com

OEM电梯工厂
地址：浙江省湖州市南浔区联谊路1993号
Address: No. 1993, Lianyi Road, Nanxun District, Huzhou City, Zhejiang

备注：本宣传册为产品推介资料，本公司保留随时更改产品设计和说明的权利，本宣传册中的任何字句，无论其字面意思或含义，对于任何产品及产品的用途和质量的表述与更改均不承担任何责任。
Remarks: This brochure is used for product promotion, and our company reserves the right to change product design and introduction at any time. Any words and expressions in this brochure, no matter literal meaning or implication both no liability to products function & modifications in products descriptions.

2026版



AOLIXUN OEM ELEVATOR SERIES

奥力迅OEM电梯系列

宁波奥力迅电梯部件有限公司
NINGBO AOLIXUN ELEVATOR PARTS CO., LTD.

NBALX



NBALX

奥力迅专注于家用电梯、乘客电梯、载货电梯的OEM研发制造，为国家级高新技术企业，国家级科技型中小企业，省级创新型中小企业，以"奥义于心，力践于行，迅达于乘"为品牌精神，为现代建筑提供安全、舒适、高效的垂直交通解决方案。

我们深谙电梯不仅是钢铁的堆砌，更是技术与艺术的融合。从私家宅邸的静音运行，到商业楼宇的智慧调度，再到工业场景的载重担当，奥力迅以模块化设计适配多元需求，以智能化系统提升乘梯体验，以全周期服务守护设备生命。

每一部奥力迅电梯，都经过精密计算的结构设计、严苛标准的部件选型、以及72小时不间断运行测试。我们相信：真正的速度，源于稳定的内核；真正的品质，经得起时间的上下考验。

AOLIXUN focuses on the OEM R & D and manufacturing of home elevators, passenger elevators, and cargo elevators. It is a national-level * high-tech enterprise, national-level technology-based small and medium-sized enterprise, and provincial-level innovative small and medium-sized enterprise. With the brand spirit of "keeping the meaning in mind, practicing hard, and Schindler taking the vehicle", it provides safe, comfortable and efficient vertical transportation solutions for modern buildings.

We understand that elevators are not only a pile of steel, but also a fusion of technology and art. From the silent operation of private homes, to the intelligent dispatch of commercial buildings, to the load handling of industrial scenarios, AOLIXUN uses modular design to adapt to diverse needs, uses intelligent systems to enhance the elevator riding experience, and protects equipment life with full-cycle services.

Every AOLIXUN elevator has undergone precise calculation structural design, strict standard component selection, and 72 hours of uninterrupted operation testing. We believe that true speed comes from a stable core; true quality can withstand the test of time.



AOLIXUN OEM ELEVATOR


THE SEIKO CHOICE FOR
VERTICAL TRANSPORTATION

奥力迅OEM电梯

垂直交通的精工之选

COMFORT AND COMFORT
ENJOY THE BEAUTY OF RIDING THE STAIRS THAT EXCEEDS EXPECTATIONS

自在舒适
悦享超越期待的乘梯之美



永磁同步无齿轮曳引机
Permanent magnet synchronous gearless traction machine

与常规曳引机相比。永磁同步无齿轮曳引机，体积小；重量轻；曳引轴直径仅100mm，并且高性能；低能耗；低噪音，轴承全部配置等进口轴承，延长曳引机使用寿命。


Compared with conventional traction machines. Permanent magnet synchronous gearless traction machine is small in size and light in weight; the traction shaft diameter is only 100mm, and has high performance; low energy consumption; low noise, all bearings are equipped with imported bearings such as, extending the service life of the traction machine.



高效永磁变频门机
High efficiency permanent magnetfrequency door machine

将先进的VVVF全闭环伺服控制技术运用到门机系统，采用全新一代永磁同步电机与同步门刀集成技术，实现厅轿门同步开闭，真正做到电梯开关门控制精确度高、运行平稳和高效节能。

Apply the advanced VVVF full-closed-loop servo control technology to the door motor system, and adopt a new generation of permanent magnet synchronous motor and synchronous door knife integrated technology to realize the synchronous opening and closing of the hall car door, truly achieve high accuracy and smooth operation of the elevator door. Efficient and energy-saving.



高智能全电脑控制系统
Intelligent computer control system

高智能高集成度的新一代家用梯控制柜，不仅具备一体机控制器的全部标配功能，同时将ARD功能与物联网技术纳入其中；整个控制柜小巧精致、高贵典雅，犹如一件难得的电器艺术品，可灵活地放置在井道边的任何地方。

The new generation of high-intelligence and high-integration household ladder control cabinet not only has all the standard functions of an all-in-one controller, but also incorporates ARD functions and Internet of Things technology; the entire control cabinet is small, exquisite, noble and elegant, like a rare piece. Electrical art can be flexibly placed anywhere along the hoistway.



SAFETY PROTECTION AND TRAVEL
WORRY-FREE ACCOMPANYING

安全护航 无忧随行

断电应急功能
Power outage emergency function

电网停电瞬间，ARD自动启动，无需人工干预，电梯平稳就近停靠，开门放人。

At the moment of a power outage, the ARD automatically starts without manual intervention. The elevator stops smoothly and nearby and opens the door to release people.

智能呼梯
Intelligent call elevator

支持定制手机呼梯、手势呼梯、指纹呼梯、人脸呼梯等多种呼梯模式。

Smart IoT system provides real-time supervision, timely feedback, and early warning of failures.

智能光幕防护系统
Intelligent light curtain protection system

智能敏锐探知厅门外的人或物体，保护出入安全。

Intelligent and sensitive detection of people or objects outside the hall door to protect the safety of entry and exit.

智慧物联网
Smart Internet of Things

智慧物联网系统，实时监管，及时反馈，故障提前预警。

Smart Internet of Things system, real-time supervision, timely feedback, and early warning of faults.

智能控制系统
Intelligent control system

智能微电脑精准控梯，自动计算速控与楼层停靠，安全静音，乘梯更安心。

Intelligent microcomputer accurately controls the elevator, automatically calculates speed control and floor stops, making it safe and silent, making riding the elevator more secure.

一键呼叫
One touch call

标配紧急呼叫功能，可预设 5 组求救号码，突发情况一键呼叫，系统自动轮拨，快速连通外界，安全有保障。

The emergency call function is standard, and 5 groups of distress numbers can be preset. In case of emergencies, one-click calls will be made. The system will automatically dial and quickly connect to the outside world, ensuring safety.





NBALX

家用电梯系列
HOME ELEVATOR
SERIES

功能与美的和谐共生
艺术美学与人本科技的至臻融合

Harmonious coexistence of function and beauty
The ultimate integration of artistic aesthetics and humanistic technology

OEM ELEVATOR

高定美学
让空间焕发独特品味与质感

HIGH-END CUSTOM
LET THE SPACE SHINE WITH UNIQUE TASTE AND TEXTURE

STANDARD DECORATION FOR HOME ELEVATOR

家用梯标准装潢

NBALX

注：轿厢图片为电脑绘制效果图，详细材质效果请参照实物。
Note: The car picture is a computer-drawn renderings. Please refer to the real object for detailed material effects.



MG-V001

标配 Standard

吊顶：发纹不锈钢，亚克力透光板，LED灯

后壁：发纹不锈钢，镜面不锈钢

侧壁：发纹不锈钢

地板：PVC（可选大理石）

Ceiling: Hairline stainless steel, acrylic light-transmitting board, LED lights

Back wall: Hairline stainless steel, mirror stainless steel

Side wall: Hairline stainless steel

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR



MG-V002

标配 Standard

吊顶：喷塑钢板，隐藏灯带

后壁：喷塑钢板，木纹化妆钢板，黑钛发纹扶手带暗藏灯

侧壁：喷塑钢板，木纹化妆钢板，暗藏灯带

地板：PVC（可选大理石）

Ceiling: Plastic-sprayed steel plates, hidden light strips

Back wall: Plastic-sprayed steel plate, wood-grain cosmetic steel plate, black titanium hair-grain armrest with hidden lights

Side wall: Plastic-sprayed steel plate, wood-grain cosmetic steel plate, hidden light strips

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR



MG-V003

标配 Standard

吊顶：黑钛镜面艺术钢板，本色发纹艺术钢板，线性灯，筒灯

后壁：黑钛镜面喷砂艺术钢板，线性灯，本色发纹艺术钢板

侧壁：两侧本色发纹艺术钢板，中间黑钛镜面喷砂艺术钢板

地板：PVC（可选大理石）

Ceiling: Black titanium mirror art steel plate, natural color hair pattern art steel plate, linear light, downlight

Back wall: Black titanium mirror sandblasting art steel plate, linear light, natural color hair-pattern art steel plate

Side wall: Natural color hair-pattern art steel plate on both sides, black titanium mirror sandblasted art steel plate in the middle

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR



MG-V004

标配 Standard

吊顶：镜面不锈钢，亚克力透光板

后壁：青古铜拉丝艺术钢板，黑钛不锈钢装饰条，镜面不锈钢

侧壁：青古铜拉丝艺术钢板，黑钛不锈钢扁扶手，隐藏灯带

地板：PVC（可选大理石）

Ceiling: Mirror surface stainless steel, acrylic transparent plate

Back wall: Blue bronze brushed art steel plate, black titanium stainless steel decorative strips, mirror stainless steel

Side wall: Blue bronze brushed art steel plate, black titanium stainless steel flat handrails, hidden light strips

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR

家用梯标准装潢

注：轿厢图片为电脑绘制效果图，详细材质效果请参照实物。
Note: The car picture is a computer-drawn renderings. Please refer to the real object for detailed material effects.



MG-V005

标配 Standard

吊顶：银锦拉丝艺术钢板，暖光影藏灯带，LED灯

后壁：银锦拉丝艺术钢板，翠柏幽兰大理石艺术钢板，隐藏灯带

侧壁：银锦拉丝艺术钢板，镜面不锈钢

地板：PVC（可选大理石）

Ceiling: Silver brocade brushed art steel plate, warm light and shadow hidden light band, LED lights

Back wall: Silver brocade brushed art steel plate, green cypress and orchids marble art steel plate, hidden light strip

Side wall: silver brocade brushed art steel plate, mirror stainless steel

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR



MG-V006

标配 Standard

吊顶：烤漆钢板，回光灯带，LED灯

后壁：铕灰色金属喷砂艺术钢板，皇家鱼肚白艺术钢板，隐藏灯带

侧壁：铕灰色金属喷砂艺术钢板，镜面不锈钢

地板：PVC（可选大理石）

Ceiling: Baking steel plate, return light strip, LED light

Back wall: Gray metal sandblasted art steel plate, royal fish belly white art steel plate, hidden light strip

Side wall: Gray metal sandblasted art steel plate, mirror stainless steel

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR



MG-V007

标配 Standard

吊顶：镜面不锈钢，影藏灯带，LED灯

后壁：银灰色艺术钢板，烟云翠艺术钢板，隐藏灯带

侧壁：银灰色艺术钢板，奶咖艺术钢板，隐藏灯带

地板：PVC（可选大理石）


Ceiling: Mirror stainless steel, shadow light strips, LED lights

Back wall: Silver-gray art steel plate, smoke cloud green art steel plate, hidden light strip

Side wall: Silver-gray art steel plates, dairy coffee art steel plates, hidden light strips

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR



MG-V008

标配 Standard

吊顶：镜面不锈钢窄边框、亚克力透光板

后壁：爱马仕橙艺术钢板、蓝色金属艺术钢板

侧壁：爱马仕橙艺术钢板、蓝色金属艺术钢板

地板：PVC（可选大理石）

Ceiling: Mirror surface stainless steel narrow frame, acrylic transparent plate

Back wall: Hermes orange art steel plate, blue metal art steel plate

Side wall: Hermes orange art steel plate, blue metal art steel plate

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR

家用梯可选装潢

注：轿厢图片为电脑绘制效果图，详细材质效果请参照实物。
Note: The car picture is a computer-drawn renderings. Please refer to the real object for detailed material effects.



MG-V009

选配 Optional

吊顶：白色烤漆钢板，LED灯带

后壁：古铜镜面艺术玻璃，暗藏灯带

侧壁：木纹彩钢板，木饰面

地板：PVC（可选大理石）

Ceiling: White painted steel plate, LED light strip

Back wall: Ancient bronze mirror face art glass, hidden light strips

Side wall: Wood grain color steel plate, wood finish

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR



MG-V010

选配 Optional

吊顶：白色哑光喷塑板，黑钛镜面装饰条，暗藏灯带，筒灯

后壁：皮纹化妆钢板，3D打印板，暗藏灯带

侧壁：皮纹化妆钢板，黑钛镜面装饰条

地板：PVC（可选大理石）

Ceiling: White matte plastic-coated board, black titanium mirror decorative strip, hidden light strip, downlight

Back wall: Skin-patterned cosmetic steel plate, 3D printed board, hidden light strips

Side wall: Skin-patterned cosmetic steel plate, black titanium mirror decorative strip

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR



MG-V011

选配 Optional

吊顶：哑光白喷塑钢板，水晶块透光，暗藏灯带，筒灯，古铜拉丝不锈钢

后壁：古铜拉丝不锈钢，暗藏灯带，皮纹化妆钢板

侧壁：古铜拉丝不锈钢，暗藏灯带，皮纹化妆钢板

地板：PVC（可选大理石）

Ceiling: Black titanium mirror sandblasted stainless steel, natural color hair-pattern stainless steel, linear light, downlight

Back wall: Black titanium mirror sandblasted stainless steel, linear light, natural color hairline stainless steel

Side wall: Stainless steel with natural hair pattern on both sides, black titanium mirror sandblasted stainless steel in the middle

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR



MG-V012

选配 Optional

吊顶：镜面不锈钢，筒灯

后壁：乳白皮纹，斑马胡桃，隐藏灯带，黑色扶手

侧壁：斑马胡桃，乳白皮纹

地板：PVC（可选大理石）

Ceiling: Mirror stainless steel, downlight

Back wall: Milky leather pattern, zebra walnut, hidden light band, black armrest

Side wall: Zebra walnut, milky skin pattern

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR

家用梯可选装潢

注：轿厢图片为电脑绘制效果图，详细材质效果请参照实物。
Note: The car picture is a computer-drawn renderings. Please refer to the real object for detailed material effects.



MG-V013

选配 Optional

吊顶：白色哑光喷塑钢板，皮革，黑钛镜面装饰条，隐藏灯带

后壁：白色哑光喷塑钢板，皮革，黑钛镜面装饰条，隐藏灯带

侧壁：木饰面，黑钛发文不锈钢，黑钛镜面装饰条

地板：PVC（可选大理石）

Ceiling: White matte plastic-coated steel plate, leather, black titanium mirror decorative strips, hidden light strips

Back wall: White matte plastic-coated steel plate, leather, black titanium mirror decorative strip, hidden light strip

Side wall: Wood finishes, black titanium stainless steel, black titanium mirror decorative strips

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR



MG-V014

选配 Optional

吊顶：镜面不锈钢，LED灯带

后壁：香槟金发纹不锈钢，LED灯带，镜面不锈钢，带单管圆扶手

侧壁：香槟金发纹不锈钢，镜面不锈钢

地板：PVC（可选大理石）

Ceiling: Mirror stainless steel, LED light strip

Back wall: Champagne gold hairline stainless steel, LED light strip, mirror stainless steel, with single-tube round armrest

Side wall: Champagne gold hair-pattern stainless steel, mirror stainless steel

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR



MG-V015

选配 Optional

吊顶：香槟金喷砂不锈钢，吸顶灯

后壁：安哥拉灰艺术板，圆孔透光，烟熏胡桃木艺术板，黑钛镜面踢脚线

侧壁：香槟金喷砂不锈钢，烟熏胡桃木艺术板，黑钛镜面不锈钢嵌条

地板：PVC（可选大理石）

Ceiling: Champagne gold sandblasted stainless steel, ceiling light

Back wall: Angola gray art board, round hole transparent, smoked walnut art board, black titanium mirror skirting

Side wall: Champagne gold sandblasted stainless steel, smoked walnut art board, black titanium mirror stainless steel fillet

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR



MG-V016

选配 Optional

吊顶：亚克力灯饰，筒灯

后壁：岩板纹化妆板，隐藏灯带，艺术板镂空暗藏灯带

侧壁：木纹化妆板，皮革，黑钛镜面不锈钢，黑钛不锈钢嵌条，隐藏灯带

地板：PVC（可选大理石）

Ceiling: Acrylic lighting, downlight

Back wall: Rock board pattern makeup board, hidden light band, art board hollow hidden light band

Side wall: Wood grain cosmetic board, leather, black titanium mirror stainless steel, black titanium stainless steel fillets, hidden light strips

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR

家用梯可选装潢

注：轿厢图片为电脑绘制效果图，详细材质效果请参照实物。
Note: The car picture is a computer-drawn renderings. Please refer to the real object for detailed material effects.



MG-V017

选配 Optional

吊顶：黑钛喷砂抗指纹不锈钢，暗香槟金艺术钢板，暗藏灯带，筒灯

后壁：黑钛喷砂抗指纹不锈钢，暗香槟金艺术钢板，暗藏灯带

侧壁：暗香槟金艺术钢板，黑钛喷砂抗指纹不锈钢

地板：PVC（可选大理石）

Ceiling: Black titanium sandblasted anti-fingerprint stainless steel, dark champagne gold art steel plate, hidden light strips, downlights

Back wall: Black titanium sandblasted anti-fingerprint stainless steel, dark champagne gold art steel plate, hidden light band

Side wall: Dark champagne gold art steel plate, black titanium sandblasted anti-fingerprint stainless steel

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR



MG-V018

选配 Optional

吊顶：古铜喷砂不锈钢，透光人造奢石，暗藏灯带

后壁：透光人造奢石，麻布栗色不锈钢，黑钛发纹不锈钢嵌条

侧壁：交叉纹皮革，灯带，麻布栗色不锈钢，黑钛发纹不锈钢嵌条

地板：PVC（可选大理石）

Ceiling: Bronze sandblasted stainless steel, light-transmitting artificial luxury stone, hidden light strips

Back wall: Light-transmitting artificial luxury stone, linen maroon stainless steel, black titanium hairline stainless steel fillet

Side wall: Cross-grain leather, light strips, linen maroon stainless steel, black titanium hair-grain stainless steel fillings

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR



MG-V019

选配 Optional

吊顶：哑光银灰烤漆，隐藏灯带，LED灯

后壁：路易斯蓝宝石大理石板，本色镜面喷砂不锈钢

侧壁：本色镜面喷砂不锈钢

地板：PVC（可选大理石）

Ceiling: Matte silver-gray paint, hidden light strips, LED lights

Back wall: Louis sapphire marble slab, natural mirror sandblasted stainless steel

Side wall: Natural color mirror sandblasted stainless steel

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR



MG-V020

选配 Optional

吊顶：黑钛镜面不锈钢，暗藏灯带，筒灯

后壁：渐变色长城艺术玻璃，暗藏灯带，黑钛镜面不锈钢

侧壁：黑钛镜面不锈钢

地板：PVC（可选大理石）

Ceiling: Black titanium mirror stainless steel, hidden light strip, downlight

Back wall: Gradient Great Wall art glass, hidden light strip, black titanium mirror stainless steel

Side wall: Black titanium mirror stainless steel

Floor: PVC (optional marble)

360°了解轿厢
360° UNDERSTANDING OF THE CAR

观光家用梯可选装潢

注：轿厢图片为电脑绘制效果图，详细材质效果请参照实物。
Note: The car picture is a computer-drawn renderings. Please refer to the real object for detailed material effects.



MG-V021

选配 Optional

吊顶：黑钛镜面不锈钢+LED灯条+星空顶黑钛镜面不锈钢+玻璃
后壁：黑钛镜面不锈钢+玻璃
侧壁：黑钛镜面不锈钢+玻璃
地板：PVC（可选大理石）

Ceiling: black titanium mirror stainless steel +LED light bar + starry top black titanium mirror stainless steel + glass
Back wall: black titanium mirror surface stainless steel + glass
Side wall: black titanium mirror surface stainless steel + glass
Floor: PVC (optional marble)



MG-V022

选配 Optional

吊顶：高透极简白顶
后壁：全铝合金边框+双层安全夹胶玻璃
侧壁：全铝合金边框+双层安全夹胶玻璃
地板：PVC（可选大理石）

Ceiling: Highly transparent minimalist white ceiling
Back wall: All-aluminum alloy frame + double-layer safety laminated glass
Side wall: All-aluminum alloy frame + double-layer safety laminated glass
Floor: PVC (optional marble)



MG-V023

选配 Optional

吊顶：黑钛发纹不锈钢、LED灯、玻璃
后壁：安全夹胶玻璃
侧壁：黑钛发纹不锈钢、安全夹胶玻璃
地板：PVC（可选大理石）

Ceiling: black titanium hairline stainless steel, LED lights, glass
Back wall: safety laminated glass
Side wall: black titanium hairline stainless steel, safety laminated glass
Floor: PVC (optional marble)



MG-V024

选配 Optional

吊顶：星空顶
后壁：安全夹胶玻璃
侧壁：黑钛发纹不锈钢、安全夹胶玻璃
地板： PVC（可选大理石）

Ceiling: Star Top
Back wall: safety laminated glass
Side wall: black titanium hairline stainless steel, safety laminated glass
Floor: PVC (optional marble)

ALUMINUM ALLOY WELL FRAME

铝合金井架



铝合金切面
Aluminum alloy Section



铝合金井架特点
Features of aluminum alloy well frame


独立的框架玻璃设计，不额外增加建筑成本，透光性好，与室内装潢融为一体；安装位置可自选，耐腐蚀，寿命周期长；选用工业级铝合金，采用安全夹胶玻璃。

Independent frame glass design, no additional construction cost, good light transmittance, and integration with the interior decoration; The installation position can be selected, which is corrosion-resistant and has a long life cycle; Industrial-grade aluminum alloy is selected, and safety laminated glass is used.

可选封板材质
Optional seal material



全透明玻璃
Full transparent glass



灰色透明玻璃
Gray transparent glass



茶色透明玻璃
Brown transparent glass

高级喷涂铝合金框架
Advanced sprayed aluminum alloy frame



珍珠白 Pearl White
浅香槟 Light Champagne
雅典金 Athens
玫瑰金 Rose gold
砂纹灰 Sand Texture Gray
砂纹黑 Sand Texture Black
水泥灰 Cement ash
流沙金 Gold Sand
爱马仕橙 Hermes Orange
东方红 Dongfang Red
米黄 Beige
雨花石 Rain Flower Stone

PLATFORM ELEVATOR WELL FRAME

平台梯井架



全场景覆盖
诠释实用主义美学

Full-scene coverage
Explaining the pragmatism aesthetics

空间位置灵活全场景、全尺寸覆盖
打造极致通透空间

Flexible spatial position, full scene and full size coverage
Create the ultimate transparent space


铝合金井道色彩定制
Aluminum alloy shaft color customization



珍珠白 Pearl White
雅典金 Athens Gold
骑士黑 Knight Black
绅士灰 Gentleman Gray
中国红 Chinese Red

PLATFORM ELEVATOR OPTIONAL CONFIGURATION

平台电梯可选配置



MG-PT01

选配 Optional

后壁：高端定制岩板/3D打印板/发光背景板

扶手：暗藏灯光扶手

地板：PVC

Back wall: High-end custom stone slabs/3D printed panels/luminous background panels

Handrail: Hidden light handrail

Floor: PVC



MG-PT02

选配 Optional

吊顶：星空顶

后壁：高端定制岩板/3D打印板/发光背景板

地板：PVC

Ceiling: Star Top

Back wall: high-end custom rock board/3D printed board/luminescent background board

Floor: PVC

BACKPLATE OPTIONAL

背板可选




MG-BK01



MG-BK02




MG-BK03



MG-BK04



MG-BK05



MG-BK06

OPTIONAL DOOR OPENING METHOD

开门方式可选



自动单开门

Automatic single door



中分平开自动门

Center split swing automatic door



半自动手拉门

Semi-automatic pull door

STAR TOP OPTIONAL

星空顶可选





水瓶 Aquarius



摩羯 Capricornus



天蝎 Scorpio



金牛 Taurus

落落大方的艺术之美
简约精致的设计
触感更胜一筹

The elegant artistic beauty
simple and exquisite design
the touch is even better

OPTIONAL COP

操纵箱可选

NBALX

注：图片为电脑绘制效果图，详细材质效果请参照实物。
Note: The picture is a computer-drawn renderings. Please refer to the real object for detailed material effects.



MG-C01
标配 Standard



MG-C02
选配 Optional



MG-C03
选配 Optional



MG-C07
选配 Optional



MG-C08
选配 Optional



MG-C09
选配 Optional



MG-C04
选配 Optional



MG-C05
选配 Optional



MG-C06
选配 Optional

落落大方的艺术之美
简约精致的设计
触感更胜一筹

The elegant artistic beauty
simple and exquisite design
the touch is even better

OPTIONAL LOP

外呼可选

NBALX

注：图片为电脑绘制效果图，详细材质效果请参照实物。
Note: The picture is a computer-drawn renderings. Please refer to the real object for detailed material effects.



MG-L01
标配 Standard



MG-L02
选配 Optional



MG-L03
选配 Optional



MG-L04
选配 Optional



MG-L05
选配 Optional




MG-L06
选配 Optional



MG-L07
选配 Optional



MG-L08
选配 Optional



MG-L09
选配 Optional



MG-L10
选配 Optional



MG-L11
选配 Optional



MG-L12
选配 Optional

OPTIONAL HALL DOORS DECORATION

厅门可选装潢

注：图片为电脑绘制效果图，详细材质效果请参照实物。
Note: The picture is a computer-drawn renderings. Please refer to the real object for detailed material effects.



MG-M01
标配 Standard
发纹不锈钢
Hairline stainless steel



MG-M02
选配 Optional
香槟金不锈钢
Champagne stainless steel



MG-M03
选配 Optional
玫瑰金不锈钢
Rose gold stainless steel



MG-M04
选配 Optional
钛金不锈钢
Titanium stainless steel



MG-M05
选配 Optional
黑钛不锈钢
Black titanium stainless steel



MG-M06
选配 Optional
木纹工艺板
Wood grain craft board



MG-M013
选配 Optional
铝合金框架玻璃门
Aluminum alloy frame glass door



MG-M07
选配 Optional
发纹不锈钢蚀刻
Hairline stainless steel etching



MG-M08
选配 Optional
发纹不锈钢蚀刻
Hairline stainless steel etching



MG-M09
选配 Optional
香槟金不锈钢蚀刻
Champagne stainless steel etching



MG-M010
选配 Optional
香槟金不锈钢蚀刻
Champagne stainless steel etching



MG-M011
选配 Optional
玫瑰金不锈钢蚀刻
Rose gold stainless steel etching



MG-M012
选配 Optional
钛金发纹蚀刻
Titanium gold hairline etching



MG-M014
选配 Optional
铝合金框手拉门(3D打印板)
Aluminum alloy frame sliding door
(3D printed board)



OPTIONAL CEILING DECORATION


吊顶可选装潢

注：图片为电脑绘制效果图，详细材质效果请参照实物。
Note: The picture is a computer-drawn renderings. Please refer to the real object for detailed material effects.




MG-DD01
选配 Optional

发纹不锈钢、亚克力灯饰、LED筒灯
Hairline stainless steel, acrylic lighting, LED downlights



MG-DD02
选配 Optional

发纹不锈钢、LED灯条
Hairline stainless steel, LED light strip



MG-DD03
选配 Optional

铝合金围边、波纹顶、暗藏灯带
Aluminum alloy surround, corrugated roof, hidden light strip




MG-DD04
选配 Optional

铝合金围边、深渊顶
Aluminum alloy surround, abyss top



MG-DD05
选配 Optional

铝合金围边、星云顶、四周灯带
Aluminum alloy surround, star cloud roof, surrounding light strips



MG-DD06
选配 Optional

铝合金围边、星空顶、四周灯带
Aluminum alloy surround, starry sky roof, surrounding light strips

OPTIONAL FLOOR DECORATION

地板可选装潢


注：图片为电脑绘制效果图，详细材质效果请参照实物。
Note: The picture is a computer-drawn renderings. Please refer to the real object for detailed material effects.



MG-DB01



MG-DB02




MG-DB03



MG-DB04




MG-DB05



MG-DB06



MG-DB07



MG-DB08



MG-DB09



MG-DB010



MG-DB011



MG-DB012



MG-DB013



MG-DB014

OPTIONAL HANDRAIL DECORATION

扶手可选装潢



MG-FS01



MG-FS02



MG-FS03



MG-FS04



MG-FS05



MG-FS06



NBALX

乘客电梯系列
PASSENGER ELEVATOR SERIES

电梯是建筑的垂直动脉
奥力迅愿以精工之力
守护每一次上下的安心

Elevator is the vertical artery of the building
Aolixun is willing to use the power of precision work
Protect the peace of mind every time

OEM ELEVATOR

品质有力
让建筑更有高度，让出行更有温度

POWERFUL QUALITY
MAKE BUILDINGS TALLER AND MAKE TRAVEL WARMER


SMALL MACHINE ROOM
PASSENGER ELEVATOR

小机房乘客电梯

实力之作　垂直交通典范
Strength work
Model of vertical transportation

小机房乘客电梯采用高效节能低转速的永磁同步无齿轮曳引机，与同等载重量级别的有齿轮电梯相比，节约大部分能源。特殊设计的小体积控制柜结合最先进的低损耗IGBT和最佳设计方案，使机房空间得到完美的布置。

The small machine room passenger elevator adopts a high-efficiency, energy-saving and low-speed permanent magnet synchronous gearless traction machine, which saves most of the energy compared with geared elevators with the same load capacity. The specially designed small-volume control cabinet combines the most advanced low-loss IGBT and the best design scheme to perfectly arrange the space of the machine room.








MACHINE ROOMLESS
PASSENGER ELEVATOR

无机房乘客电梯

建筑优选　突破空间限制
Building optimization
Breaking through space restrictions

采用无机房结构，将控制柜与曳引机灵活置于井道，节约建筑面积，造型美观简约，也为建筑师和开发商留有设计余地，降低了综合建筑成本。

With machine roomless structure, control cabinet and traction are placed in the shaft flexibly. It saves construction area and with artistic and simple shape, which reduces comprehensive construction cost and leaves design spece for architects and developers.







PASSENGER ELEVATOR
DECORATION

乘客电梯装潢

注：轿厢图片为电脑绘制效果图，详细材质效果请参照实物。
Note: The car picture is a computer-drawn renderings. Please refer to the real object for detailed material effects.



MG-K001

标配 Standard

吊顶：发纹不锈钢，亚克力透光板，LED灯
后壁：发纹不锈钢
侧壁：发纹不锈钢
地板：PVC（可选大理石）

Celling: Hairline stainless steel, acrylic light-transmitting plate, LED light
Back wall: Hairline stainless steel
Side wall: Hairline stainless steel
Floor: PVC (marble optional)

MG-K002


选配 Optional

吊顶：镜面不锈钢，亚克力拱顶，LED灯
后壁：发纹不锈钢，镜面蚀刻
侧壁：发纹不锈钢，镜面蚀刻
地板：PVC（可选大理石）

Celling: Mirror stainless steel, acrylic Dome, LED light
Back wall: Hairline stainless steel, mirror etching
Side wall: Hairline stainless steel, mirror etching
Floor: PVC (marble optional)



注：轿厢图片为电脑绘制效果图，详细材质效果请参照实物。
Note: The car picture is a computer-drawn renderings. Please refer to the real object for detailed material effects.



MG-K003

选配 Optional

吊顶：钛金镜面不锈钢，亚克力灯饰，LED灯
后壁：钛金发纹不锈钢，镜面蚀刻
侧壁：钛金发纹不锈钢，镜面蚀刻
地板：PVC（可选大理石）

Celling: Titanium mirror stainless steel, acrylic lighting, LED lights
Back wall: Titanium gold hairline stainless steel, mirror etching
Side wall: Titanium gold hairline stainless steel, mirror etching
Floor: PVC (marble optional)


MG-K004

选配 Optional

吊顶：黑钛镜面不锈钢，亚克力透光板
后壁：黑钛发纹不锈钢，镜面蚀刻
侧壁：黑钛发纹不锈钢，镜面不锈钢
地板：PVC（可选大理石）

Celling: Black titanium mirror stainless steel, acrylic light-transmitting plate
Back wall: Black titanium hairline stainless steel, mirror etching
Side wall: Black titanium hairline stainless steel, mirror stainless steel
Floor: PVC (marble optional)





NBALX

载货电梯系列
CARGO ELEVATOR SERIES

更强的运载负荷能力
可满足大物件的垂直运输需求
提供更全面、可靠、高效的解决方案

Greater carrying capacity
Can meet the vertical transportation needs of large objects
Provide more comprehensive, reliable and efficient solutions

NBALX OEM ELEVATOR

超强承载
稳载力行，性能可靠

SUPER LOAD
STABLE LOAD AND RELIABLE PERFORMANCE

FREIGHT ELEVATOR
DECORATION

载货电梯装潢



MG-F001

选配 Optional

吊顶：喷塑钢板（颜色可选），圆形风扇，亚克力灯
后壁：喷塑钢板（颜色可选）
侧壁：喷塑钢板（颜色可选）
地板：花纹钢板

Ceiling: plastic-sprayed steel plate (color optional), round fan, acrylic lamp
Rear wall: Plastic-sprayed steel plate (color optional)
Side wall: Plastic-sprayed steel plate (color optional)
Floor: patterned steel plate



MG-F002

选配 Optional

吊顶：喷塑钢板（颜色可选），圆形风扇，亚克力灯
后壁：喷塑钢板（颜色可选）
侧壁：喷塑钢板（颜色可选）
地板：花纹钢板

Ceiling: plastic-sprayed steel plate (color optional), round fan, acrylic lamp
Rear wall: Plastic-sprayed steel plate (color optional)
Side wall: Plastic-sprayed steel plate (color optional)
Floor: patterned steel plate

OPTIONAL DOOR
OPENING METHOD

开门方式可选



旁开双折式(标配)
Side opeing Double folding
(Standard)



中分式(选配)
Center Opeing Type(optional)



旁开三折式(选配)
Side opeing Three folding
(optional)



中分双折式(选配)
Center-opening &
Double-folded Type(optional)



中分三折式(选配)
Center-opening & Three
Folded Type(optional)

COLOR CARD
OPTIONAL

色卡可选

RAL7038
标配 Standard

RAL9010

RAL9001

RAL7036

RAL1001

RAL6019

ELEVATOR FUNCTION TABLE

电梯功能表

全面保护 COMPREHENSIVE PROTECTION

关门时间保护 Closing time protection	O 外召按钮入目诊断 Hb button embedden self-diagnosis	门区外不能开门 Outside door zone without opening door	抱闸检测保护 Brake detection and protection
轿内紧急照明 Emergency lighting in the car	逆向运行保护 Protection against reverse travel	电网电压波动检测功能 Wave detection of grid voltage	驱动设备过热保护 Driven equipment overheating protection(OHT)
超载不启动（警示灯及蜂鸣器） Overloading warning (Caution light and buzzer)	防打滑保护 Provent slipping protection	接触器防粘连保护 Contactor anti-adhesion protection	O 电动松闸 Electric brake
光幕门保护装置 The screen door protection device	安全回路保护 Safety circuit protection	断电器监测功能 Breaker monitoring function	停电应急救援 Automatic rescue device
控制柜紧急电动运行 Control cabinet emergency electric operation	检修限位保护 Limit protection	超速保护 Overspeed protection	O 一键拨号功能 One-touch dial
故障自动检测和记录 Malfunction automatically detect and record	终端越层保护 Terminal, the layer of protection	故障低速自救功能 Fault low-speed self-rescue	O 高安全性航空连接件 High safety air fittings
警铃 Alarm bell	门连锁保护 Door interlock protection	换站停靠 In dock station	O 分体式2D 3D组合光幕 Split 2D 3D combined light curtain
撞底缓冲装置 Hitting the bottom buffer device	主回路故障保护 The main circuit fault protection	柔性光纤开门安全保护 The flexible fiber door security	

平稳运行 SMOOTH OPERATION

无呼自返基地功能 Return to base station without call	待梯层设定 Upon elevator floor setting	全集选控制 Full collective control	电梯自学习 Elevator self-learning
反向时自动取消指令 When reverse automatically cancel the order	端站换速及楼层号校正 End station for speed and floor number correction	自动开关门(自动门Automatic door) Automatic door switch	锁梯服务 Lock the elevator service
预转矩输出 Pre-torque output	直接停靠 Direct arrival		

信息显示 INFORMATION

轿厢数字式位置指示器 Car digital position indicator	厅和轿厢呼梯/登记 Hall and car/register	厅外数字式位置显示器 Hall digital position indicator	运行次数显示功能 Running number display
轿厢运行方向显示 Car running direction display	楼层显示字符的任意设定 Floor display character arbitrary settir	厅外运行方向显示 Out-of-hall running direction display	

舒适运行 COMFORTABLE OPERATION


设置厅、轿门时间（自动门Automatic door) Set hall and car door time	不停层设置 Bypassed stop setting	开、关门按钮(自动门Automatic door) Open and close button	错误指令取消 The wrong instruction to cancel
轿内通风自动及照明自动控制功能 Automatic control in car	O 语音报站 Voice announcement	本层外如开门（自动门Automatic door) Hb calls door opening	O 液晶显示 Liquid display
重复关门（自动门Automatic door) Repeated closing door	静音接触器 Low noise contactor	到站钟 Arrival bell	O 负离子空气净化 Negative ion air purification
O 恒温空调 Constant temperature air conditioning			

保安监控 SECURITY MONITORING

O 智能远程监控功能 Intellectual long-Distance Monitor Function	IC卡全网通 IC card full Netcom	O CCTV电缆（轿厢至控制柜） CCTV cable (From car to machine room)	O 小区电脑监控 Community computer monitoring
O 读卡器 Card reader			

家用电梯土建参数


MGS-3000



钢丝绳侧置 Steel wire rope side

载重kg	320	400	320	400
人数	4	5	4	5
梯速m/s	≤0.4			
开门方式	中分 Center-opening		旁开 Side-opening	
开门尺寸	700*2000	750*2000	800*2000	900*2000
井道净尺寸	1600*1400	1700*1500	1600*1450	1700*1550
轿厢净尺寸（含吊顶 最大）	1000*1100 *2200	1100*1200 *2200	1000*1100 *2200	1100*1200 *2200
顶层高度	2900			
底坑深度	450			


MGD-6000



钢带侧置 Steel strip side

载重kg	320	400	320	400
人数	4	5	4	5
梯速m/s	≤0.4			
开门方式	中分 Center-opening		旁开 Side-opening	
开门尺寸	700*2000	750*2000	800*2000	900*2000
井道净尺寸	1600*1400	1700*1500	1600*1450	1700*1550
轿厢净尺寸（含吊顶 最大）	1000*1100 *2200	1100*1200 *2200	1000*1100 *2200	1100*1200 *2200
顶层高度	3100			
底坑深度	200			

MGS-3000H




钢丝绳后置 Rear position of wire rope

载重kg	320	400	320	400	320	400
人数	4	5	4	5	4	5
梯速m/s	≤0.4					
开门方式	中分 Center-opening		旁开 Side-opening		手拉门 Manual door	
开门尺寸	650*2000	700*2000	700*2000	800*2000	800或850 *2000	900*2000
井道净尺寸	1450*1500	1450*1600	1450*1550	1200*1350	1200*1350	1450*1450
轿厢净尺寸（含吊顶 最大）	1100*1000 *2200	1200*1100 *2200	1100*1000 *2200	1200*1100 *2200	850*1000 *2200	1100*1100 *2200
顶层高度	3200					
底坑深度	200					

注：上述尺寸供设计参考，具体尺寸以合同签约时提供的土建图为准。
Note: The above dimensions are for design reference, and the specific dimensions are subject to the civil drawings provided when the contract is signed.


MGQ-1000



强驱 Strong drive

载重kg	320	400	320	400
人数	4	5	4	5
梯速m/s	≤0.4			
开门方式	中分 Center-opening		手拉门 Manual door	
开门尺寸	650*2000	700*2000	800或850*2000	900*2000
井道净尺寸	1450*1150	1550*1250	1200*1150	1450*1450
轿厢净尺寸（含吊顶 最大）	1100*900*2200	1200*1000*2200	850*1000*2200	1100*1100*2200
顶层高度	铝合金井道3300，其它井道3100			
底坑深度	200			


MGD-6000H



钢带后置 Steel belt rear

载重kg	320	400	320	400
人数	4	5	4	5
梯速m/s	≤0.4			
开门方式	中分 Center-opening		手拉门 Manual door	
开门尺寸	650*2000	700*2000	800或850*2000	900*2000
井道净尺寸	1450*1400	1550*1500	1200*1350	1450*1450
轿厢净尺寸（含吊顶 最大）	1100*900*2200	1200*1000*2200	850*1000*2200	1100*1100*2200
顶层高度	2900			
底坑深度	200			

MGB-4000



钢丝绳背包架 Steel wire rope backpack rack


载重kg	320	400	320	400
人数	4	5	4	5
梯速m/s	≤0.4			
开门方式	中分 Center-opening		手拉门 Manual door	
开门尺寸	700*2000	750*2000	750*2000	900*2000
井道净尺寸	1350*1700	1450*1800	1150*1550	1300*1650
轿厢净尺寸（含吊顶 最大）	1100*900*2200	1200*1000*2200	950*1000*2200	1100*1100*2200
顶层高度	2800			
底坑深度	200			

注：上述尺寸供设计参考，具体尺寸以合同签约时提供的土建图为准。
Note: The above dimensions are for design reference, and the specific dimensions are subject to the civil drawings provided when the contract is signed.


CIVIL ENGINEERING PARAMETERS OF HOME ELEVATOR


家用电梯土建参数

MGB-7000



MGB-5000





平台式曳引电梯框架穿过楼板开孔图

平衡式曳引电梯 Balanced traction elevator

载重kg	320	400	320	400
人数	4	5	4	5
梯速m/s	≤0.4			
开门方式	中分 Center-opening		旁开 Side-opening	
开门尺寸	井道尺寸≥开门*2+100		井道尺寸≥开门*1.5+200	
井道尺寸	按实际工况联系相关销售人员			
轿厢净尺寸	按实际工况联系相关销售人员			
顶层高度	2900			
底坑深度	200			
适用工况	观光式电梯。平台梯样式梯（高层平梯）。 小井道土建梯。直角开门式梯。三侧开门式梯。			

平台式曳引电梯（轿厢式） Platform type traction elevator (car type)


最小井道尺寸	1010mm*850mm
最大井道尺寸	1460mm*1450mm
最低顶层高度	2400mm
最小底坑深度	80mm
门框高度	门净高+200mm
轿厢尺寸计算方法	轿厢外宽=平台外宽-130mm 轿厢外深=平台外深-375mm 轿厢高度=顶层高度-300mm

注：上述尺寸供设计参考，具体尺寸以合同签约时提供的土建图为准。
Note: The above dimensions are for design reference, and the specific dimensions are subject to the civil drawings provided when the contract is signed.


CIVIL ENGINEERING PARAMETERS OF PASSENGER ELEVATOR

乘客电梯土建参数


井道立剖面图
Hoistay elevation



机房留孔图
Machine room with reserved holes



井道平面图
Hoistway Plan




额定载重 (kg) Rated capacity	额定速度 (m/s) Rated speed	轿厢净尺寸 (mm) Car size 宽 x 深 x 高 CW x CD x CH	开门净尺寸 (mm) Open size 宽x高 OP x OH	井道净尺寸 (mm) Hoistway size 宽x深 HW x HD	机房净尺寸 (mm) Machine room size 宽x深 x 高 RW x RD x RH	底坑深度 Pit depth S (mm)	顶层高度 Overhead height K (mm)	开门方式 Open the door way
630	1.0	1400x1100x2400	800x2100	1900x1800	1900x1800x2300	1500	4500	中分式 Medium division
	1.5					1600	4600	
	1.75					1700	4700	
800	1.0	1400x1350x2400	800x2100	1900x2000	1900x2000x2300	1500	4500	
	1.5					1600	4600	
	1.75					1700	4700	
1000	1.0	1600x1400x2400	900x2100	2100x2100	2100x2100x2300	1500	4500	
	1.5					1600	4600	
	1.75					1700	4700	
1150	1.0	1700x1500x2400	1000x2100	2200x2300	2200x2300x2500	1500	4500	
	1.5					1600	4600	
	1.75					1700	4700	
1350	1.0	2000x1500x2400	1100x2100	2500x2300	2500x2300x2500	1500	4500	
	1.5					1600	4600	
	1.75					1700	4700	
1600	1.0	2000x1700x2400	1100x2100	2500x2500	2500x2500x2500	1500	4500	
	1.5					1600	4600	
	1.75					1700	4700	

注：上述尺寸供设计参考，具体尺寸以合同签约时提供的土建图为准。
Note: The above dimensions are for design reference, and the specific dimensions are subject to the civil drawings provided when the contract is signed.


CIVIL ENGINEERING PARAMETERS OF ROOMLESS PASSENGER ELEVATOR

无机房乘客电梯土建参数


井道立剖面图
Hoistay elevation



剖面 A-A
profile A-A



局部视图 B
Partial view B




额定载重 (kg) Rated capacity	额定速度 (m/s) Rated speed	轿厢净尺寸 (mm) Car size	开门净尺寸 (mm) Open size	井道净尺寸 (mm) Hoistway size	底坑深度 Pit depth	顶层高度 Overhead height	开门方式 Open the door way
		宽 x 深 CW x CD	宽x高 OP x OH	宽x深 HW x HD	S (mm)	K (mm)	
450	1.0	1100x1100	800x2100	2100x1600	1600	4500	中分式 Medium division
450	1.5~1.75	1100x1100	800x2100	2100x1600	1700	4600	
630	1.0	1200x1300	800x2100	2200x1800	1600	4500	
630	1.5~1.75	1200x1300	800x2100	2200x1800	1700	4600	
800	1.0	1350x1400	800x2100	2200x1900	1600	4500	
800	1.5~1.75	1350x1400	800x2100	2200x1900	1700	4600	
1000	1.0	1400x1600	900x2100	2300x2100	1600	4500	
1000	1.5~1.75	1400x1600	900x2100	2300x2100	1700	4600	
1350	1.0	2000x1500	1100x2100	2900x2000	1600	4700	
1350	1.5~1.75	2000x1500	1100x2100	2900x2000	1700	4800	
1600	1.0	2000x1700	1100x2100	2900x2200	1600	4700	
1600	1.5~1.75	2000x1700	1100x2100	2900x2200	1700	4800	

注：上述尺寸供设计参考，具体尺寸以合同签约时提供的土建图为准。
Note: The above dimensions are for design reference, and the specific dimensions are subject to the civil drawings provided when the contract is signed.


CIVIL ENGINEERING PARAMETERS OF FREIGHT ELEVATOR

载货电梯土建参数


井道立面图
Hoistway elevation



机房平面布置图
Machine room layout drawing



井道平面布置图
Hoistway layout drawing



额定载重 Rated load (kg)	额定速度 Rated speed (m/s)	最大提升高度 Max.Travel height (m)	轿厢净尺寸 net size of carbin (mm)		净门距 Net width of door (mm)		井道尺寸 Shaft net size (mm)				机房尺寸 Machine room size (mm)		
			宽 Width	深 Depth	宽 Width	高 Height	宽 Width	深 Depth	顶层高 Overhead height	底坑深 Pit depth	宽 Width	深 Depth	高 Height
1600	1.0	50	1430	1670	1300	2100	2400	2230	4500	1500	3000	3000	3000
2500	0.5	50	1830	2300	1500	2100	2850	2860	4500	1500	3500	4500	3000
	1.0												
3000	0.5	50	2000	2900	1800	2100	3450	3460	4500	1500	4000	4500	3000
	1.0												
5000	0.5	50	2500	3600	2200	2100	3900	4160	4500	1500	4600	5000	3200

注：上述尺寸供设计参考，具体尺寸以合同签约时提供的土建图为准。
Note: The above dimensions are for design reference, and the specific dimensions are subject to the civil drawings provided when the contract is signed.